



Vita Science Peptides Inc.

8888 Odlin Cres, Unit 210, Richmond, BC, V6X 3Z8 · orders@canada-peptides.net ·
604-555-0188
<https://canada-peptides.net>

Certificate of Analysis

CERTIFICAT D'ANALYSE

Document 6DF852E614 · Lot GK-2609-17 · Issued / Émis September
12, 2026

GHK-Cu Copper Tripeptide, 50 mg Lyophilized Vial

Lyophilized powder in a sealed 3 mL glass vial · 50 mg per vial



Verify this lot / Vérifier ce lot
canada-peptides.net/lots/#gk-2609-17

Catalogue no. / N° de catalogue	PEP-GHKCU-50	Lot / Lot	GK-2609-17
Date of analysis / Date d'analyse	September 12, 2026	Retest date / Date de réanalyse	September 12, 2026
CAS	49557-75-7	Molecular formula / Formule	C14H22CuN6O4
Molecular weight / Masse moléculaire	403.9 g/mol	Quantity / Quantité	50 mg per vial
Form / Forme	Lyophilized powder in a sealed 3 mL glass vial	Storage / Conservation	Lyophilized powder: store sealed at -20 °C, protected from light and moisture. Ships at ambient temperature with desiccant.


SEQUENCE / SÉQUENCE

GHK

RESULTS / RÉSULTATS

TEST / ESSAI	METHOD / MÉTHODE	SPECIFICATION / SPÉCIFICATION	RESULT / RÉSULTAT
Appearance / Apparence	Visual, USP <631>	White to off-white lyophilized powder	White lyophilized powder
Purity / Pureté	RP-HPLC, C18, 220 nm, area %	≥99%	99.7%
Identity / Identité	ESI-MS, positive mode	[M+H] ⁺ 404.91 ± 0.1%	[M+H] ⁺ 405.03 (Δ 0.030%)
Net peptide content / Teneur nette	Gravimetric, corrected for water and counter-ion	50 mg per vial	49.56 mg (100.3% of label)
Water content / Teneur en eau	Karl Fischer titration	≤ 8.0%	2.0%
Counter-ion / Contre-ion	Ion chromatography	Acetate, TFA below 1%	4.8% acetate
Bacterial endotoxin / Endotoxine	LAL, kinetic turbidimetric	< 1.0 EU/mg	< 0.18 EU/mg

CHROMATOGRAM / CHROMATOGRAMME



MASS SPECTRUM / SPECTRE DE MASSE



METHODS / MÉTHODES

PEAK	RT (MIN)	AREA %	ASSIGNMENT / ATTRIBUTION
1	5.87	0.20	Related impurity

PEAK	RT (MIN)	AREA %	ASSIGNMENT / ATTRIBUTION
2	8.85	99.70	GHK-Cu Copper Tripeptide (main peak)
3	9.72	0.10	Related impurity

RP-HPLC. Reversed-phase HPLC on a C18 column with a water/acetonitrile gradient (0.1% TFA), detection at 220 nm; purity is the main peak area as a percentage of the total peak area.

ESI-MS. Electrospray ionization mass spectrometry in positive mode; identity is confirmed when the observed [M+H]⁺ (or [M+2H]²⁺) ion lies within 0.1% of the calculated mass.

Karl Fischer. Coulometric titration of a weighed aliquot for water content, reported as a percentage of the lyophilized mass.

Ion chromatography. Counter-ion content (acetate, residual trifluoroacetate) by anion-exchange chromatography with conductivity detection.

LAL. Kinetic turbidimetric Limulus amebocyte lysate assay for bacterial endotoxin, reported per milligram of peptide.

Analyst / Analyste QC laboratory · signed electronically September 12, 2026	Reviewed / Vérifié QC reviewer · signed electronically September 12, 2026	Released / Libéré Quality assurance · released for sale Document 6DF852E614
--	--	--

For laboratory research use only. Not for human or veterinary use. · Réserve à la recherche en laboratoire. Non destiné à l'usage humain ou vétérinaire.

This certificate reports the lot record held by Vita Science Peptides for lot GK-2609-17; results apply to that lot only. Document 6DF852E614 can be checked against the lot register at <https://canada-peptides.net/lots/#gk-2609-17>. Store as stated above; retest date September 12, 2028. Generated 2026-09-24 · <https://canada-peptides.net>