



Vita Science Peptides Inc.

8888 Odlin Cres, Unit 210, Richmond, BC, V6X 3Z8 · orders@canada-peptides.net ·
604-555-0188
https://canada-peptides.net

Certificate of Analysis

CERTIFICAT D'ANALYSE

Document 262BF8A21E · Lot GL-2609-33 · Issued / Émis September
18, 2026

GLOW Co-Lyophilized Blend, 70 mg per Vial

Co-lyophilized powder in a sealed 3 mL glass vial · 70 mg per vial (TB-500 10 mg, BPC-157 10 mg, GHK-Cu 50 mg)




Verify this lot / Vérifier ce lot
canada-peptides.net/lots/#gl-2609-33

Catalogue no. / N° de catalogue	PEP-GLOW-70	Lot / Lot	GL-2609-33
Date of analysis / Date d'analyse	September 18, 2026	Retest date / Date de réanalyse	September 18, 2028
Quantity / Quantité	70 mg per vial (TB-500 10 mg, BPC-157 10 mg, GHK-Cu 50 mg)	Form / Forme	Co-lyophilized powder in a sealed 3 mL glass vial
Storage / Conservation	Lyophilized powder: store sealed at -20 °C, protected from light and moisture. Ships at ambient temperature with desiccant.		

RESULTS / RÉSULTATS

TEST / ESSAI	METHOD / MÉTHODE	SPECIFICATION / SPÉCIFICATION	RESULT / RÉSULTAT
Appearance / Apparence	Visual, USP <631>	White to off-white lyophilized powder	White lyophilized powder
Purity / Pureté	RP-HPLC, C18, 220 nm, area %	≥99%	99.3%
Net peptide content / Teneur nette	Gravimetric, corrected for water and counter-ion	70 mg per vial (TB-500 10 mg, BPC-157 10 mg, GHK-Cu 50 mg)	71.75 mg (99.1% of label)
Water content / Teneur en eau	Karl Fischer titration	≤ 8.0%	2.6%
Counter-ion / Contre-ion	Ion chromatography	Acetate, TFA below 1%	6.3% acetate
Bacterial endotoxin / Endotoxine	LAL, kinetic turbidimetric	< 1.0 EU/mg	< 0.30 EU/mg

CHROMATOGRAM / CHROMATOGRAMME



PEAK	RT (MIN)	AREA %	ASSIGNMENT / ATTRIBUTION
1	4.01	0.08	Related impurity
2	5.51	0.49	Related impurity
3	7.79	0.06	Related impurity
4	9.71	99.30	GLOW Co-Lyophilized Blend (main peak)
5	12.70	0.08	Related impurity

METHODS / MÉTHODES

RP-HPLC. Reversed-phase HPLC on a C18 column with a water/acetonitrile gradient (0.1% TFA), detection at 220 nm; purity is the main peak area as a percentage of the total peak area.

ESI-MS. Electrospray ionization mass spectrometry in positive mode; identity is confirmed when the observed [M+H]⁺ (or [M+2H]²⁺) ion lies within 0.1% of the calculated mass.

Karl Fischer. Coulometric titration of a weighed aliquot for water content, reported as a percentage of the lyophilized mass.

Ion chromatography. Counter-ion content (acetate, residual trifluoroacetate) by anion-exchange chromatography with conductivity detection.

LAL. Kinetic turbidimetric Limulus amoebocyte lysate assay for bacterial endotoxin, reported per milligram of peptide.

Analyst / Analyste

QC laboratory · signed electronically
September 18, 2026

Reviewed / Vérifié

QC reviewer · signed electronically
September 18, 2026

Released / Libéré

Quality assurance · released for sale
Document 262BF8A21E

For laboratory research use only. Not for human or veterinary use. · Réservé à la recherche en laboratoire. Non destiné à l'usage humain ou vétérinaire.

This certificate reports the lot record held by Vita Science Peptides for lot GL-2609-33; results apply to that lot only. Document 262BF8A21E can be checked against the lot register at <https://canada-peptides.net/lots/#gl-2609-33>. Store as stated above; retest date September 18, 2028. Generated 2026-09-24 · <https://canada-peptides.net>